


MARKIII Diesel Engine Fire Pump Controller


POWER SUPPLY

14 - 6 AWG






ENGINE CONNECTIONS (DB1)



Field Connections (DB1)

TERMINALS WIRE SIZE: 24 - 12 AWG 0.5 Nm




Network Connection (VMB1)

SHIELDED FEMALE CONNECTOR RJ45

MODBUS TCP/IP	 [1/0]

REMOTE ALARM TERMINALS (DB1)

TERMINAL WIRE SIZE 24 - 12 AWG 0.5 Nm



ALL WIRING BETWEEN THE CONTROLLER AND DIESEL ENGINE SHALL BE STRANDED (NFPA20)

WIRING BETWEEN CONTROLLER AND ENGINE (TERMINALS 301, 302, 303, 304, 305, 310, 311, 312, 2, 3, 4, 5) MUST BE #14AWG AS MINIMUM

WIRING BETWEEN CONTROLLER AND ENGINE (TERMINALS 12 [RATED AT 10A OR 22A FOR 20 SECONDS] 1, 9, 10 [RATED AT 10A] MUST BE STRANDED #10AWG AS MINIMUM

WIRING BETWEEN CONTROLLER AND ENGINE (TERMINALS 6, 8, 11 [RATED AT 30A] MUST BE STRANDED AND SIZED ACCORDING TO DISTANCE

DRAWING FOR INFORMATION ONLY.
MANUFACTURER RESERVES THE RIGHT TO
MODIFY THIS DRAWING WITHOUT NOTICE.
CONTACT MANUFACTURER FOR "AS BUILT" DRAWING.

_	SIZE A	BY	DATE
THIRD ANGLE	DRAWN BY	JMW	11-04-19
PROJECTION	FINAL APPROVAL	CIR	11-04-19




NEW RELEASE			-	JMW	CIR	11-04-19			
REVISION DESCRIPTION			ECN NO	BY	APP	DATE			
FIELD CONNECTIONS FTA1100			DRAWING NUMBER FC1100-30						
DIESEL ENGINE FIRE PUMP CONTROLLER			FC1100-30 CDL						
			ECN						
12VDC OR 24VDC NEGATIVE GROUND			NO -		SI	HEET 1 OF 2			

^{*} REMOVE JUMPER TO USE THIS FEATURE ** RE-ASSIGNABLE



LOCATED IN CONTROLLER



						NEW RELEASE		- 1	-	JIMIVV	CIR	11-04-19
THIRD ANGLE PROJECTION	SIZE A	BY	DATE		REVISION DESCRIPTION		REV	ECN NO	BY	APP	DATE	
	$\Rightarrow \phi$		3Y JMW	v 11-04-19		FIELD CONNECTIONS	FTA1100	DRAWING NUMBER				
	THIRD ANGLE					DIEGEL ENGINE EIRE BUND CONTROLLED			FC1100-30 CD			
	FINAL APPROVAL	CIR	11-04-19	© Firetrol, Inc. Not for construction. Subject to change without notice.	DIESEL ENGINE FIRE PUMP CONTROLLER 12VDC OR 24VDC NEGATIVE GROUND		DWG REV -	ECN -		SH	HEET 2 OF 2	
	Al rights reserved. The drawing and the information contained or depicted herein are the sole property of Firetrol. Inc. Copies are communicated to the recipient in strict confidence and may not be retransmitted, published, recorduced, copied or used in any manor, including as the basis for the manufacture or sale of any products, without the express prior written consent of Firetrol. Inc.											



NEW RELEASE	-	- JMW CIR						
REVISION DESCRIPTION			ECN NO	BY	APP	DATE		
FIELD CONNECTIONS FTA1100			DRAWING NUMBER FC1100-30					
DIEGEL ENGINE FIDE DUMP CONTROLL	FC1100-30 CDL							
DIESEL ENGINE FIRE PUMP CONTROLLER 12VDC OR 24VDC NEGATIVE GROUND			ECN -		SI	HEET 2 OF 2		